



US Patent &amp; Trademark Office

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)
Search: ☒ The ACM Digital Library ☐ The Guide

123333

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before January 2000

Terms used **data hiding blank characters secret key**

Found 10 of 102,651

Sort results  
by [Save results to a Binder](#)[Try an Advanced Search](#)Display  
results [Search Tips](#)Try this search in [The ACM Guide](#)☐ Open results in a new  
window

Results 1 - 10 of 10

Relevance scale ☐ ☐ ☐ ☐ ☐1 [Network Protocols](#)

Andrew S. Tanenbaum

December 1981 **ACM Computing Surveys (CSUR)**, Volume 13 Issue 4Full text available: [pdf\(3.37 MB\)](#)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)2 [Interactive Editing Systems: Part II](#)

Norman Meyrowitz, Andries van Dam

September 1982 **ACM Computing Surveys (CSUR)**, Volume 14 Issue 3Full text available: [pdf\(9.17 MB\)](#)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)3 [Cryptology in Transition](#)

Abraham Lempel

December 1979 **ACM Computing Surveys (CSUR)**, Volume 11 Issue 4Full text available: [pdf\(1.63 MB\)](#)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)4 [Symmetric and Asymmetric Encryption](#)

Gustavus J. Simmons

December 1979 **ACM Computing Surveys (CSUR)**, Volume 11 Issue 4Full text available: [pdf\(2.23 MB\)](#)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)5 [A taxonomy of computer program security flaws](#)

Carl E. Landwehr, Alan R. Bull, John P. McDermott, William S. Choi

September 1994 **ACM Computing Surveys (CSUR)**, Volume 26 Issue 3Full text available: [pdf\(3.81 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

An organized record of actual flaws can be useful to computer system designers, programmers, analysts, administrators, and users. This survey provides a taxonomy for

computer program security flaws, with an Appendix that documents 50 actual security flaws. These flaws have all been described previously in the open literature, but in widely separated places. For those new to the field of computer security, they provide a good introduction to the characteristics of security flaws and how they ...

**Keywords:** error/defect classification, security flaw, taxonomy

6 Electronic voting: computerized polls may save money, protect privacy

Lorrie Faith Cranor

April 1996 **Crossroads**, Volume 2 Issue 4

Full text available: [html\(46.29 KB\)](#) Additional Information: [full citation](#), [citations](#), [index terms](#)

7 Sequential thematic organization of publications: how to achieve coherence in proposals and reports

J. R. Tracey, D. E. Rugh, W. S. Starkey

August 1999 **ACM SIGDOC Asterisk Journal of Computer Documentation**, Volume 23 Issue 3

Full text available: [pdf\(3.80 MB\)](#) Additional Information: [full citation](#), [index terms](#)

8 Designing software for ease of extension and contraction

David L. Parnas

May 1978 **Proceedings of the 3rd international conference on Software engineering**

Full text available: [pdf\(1.20 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Designing software to be extensible and easily contracted is discussed as a special case of design for change. A number of ways that extension and contraction problems manifest themselves in current software are explained. Four steps in the design of software that is more flexible are then discussed. The most critical step is the design of a software structure called the "uses" relation. Some criteria for design decisions are given and illustrated using a small example. It is sh ...

9 University-wide general-interest on-line information systems that work-and that you can afford

H. J. Strauss

October 1989 **Proceedings of the 17th annual ACM SIGUCCS conference on User Services**

Full text available: [pdf\(1.24 MB\)](#) Additional Information: [full citation](#), [index terms](#)

10 A system for interactive viewing of structured documents

Ian H. Witten, Bob Bramwell

March 1985 **Communications of the ACM**, Volume 28 Issue 3





Full text available: [pdf\(1.00 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

An existing typesetting system is tied by bridging software to an existing page-presentation program to effect both hard (typeset) copy and interactive browsing. The typesetting system formats documents for a variety of output devices, and the "browsing" feature appears to the user as simply another output device that happens to be interactive.

Results 1 - 10 of 10

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "( secret key&lt;in&gt;metadata ) &lt;and&gt; ( data hiding&lt;in&gt;metadata )"

☒ e-mail

Your search matched 6 of 1144303 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» [View Session History](#)» [New Search](#)

Modify Search

» Key

( secret key&lt;in&gt;metadata ) &lt;and&gt; ( data hiding&lt;in&gt;metadata )



IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEEE JNL IEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

Select Article Information

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard


- ☐ 1. **A secure data hiding scheme for two-color images**  
Hsiang-Kuang Pan; Yu-Yuan Chen; Yu-Chee Tseng;  
Computers and Communications, 2000. Proceedings. ISCC 2000. Fifth IEEE Symposium 3-6 July 2000 Page(s):750 - 755  
[AbstractPlus](#) | Full Text: [PDE](#)(516 KB) IEEE CNF
- ☐ 2. **Adaptive data hiding in palette images by color ordering and mapping with security**  
Chih-Hsuan Tzeng; Zhi-Fang Yang; Wen-Hsiang Tsai;  
Communications, IEEE Transactions on  
Volume 52, Issue 5, May 2004 Page(s):791 - 800  
[AbstractPlus](#) | Full Text: [PDE](#)(384 KB) IEEE JNL
- ☐ 3. **An encryption scheme for limited k-time access to digital media**  
Perkins, G.M.; Bhattacharya, P.;  
Consumer Electronics, IEEE Transactions on  
Volume 49, Issue 1, Feb. 2003 Page(s):171 - 176  
[AbstractPlus](#) | Full Text: [PDE](#)(632 KB) IEEE JNL
- ☐ 4. **A secure data hiding scheme for binary images**  
Yu-Chee Tseng; Yu-Yuan Chen; Hsiang-Kuang Pan;  
Communications, IEEE Transactions on  
Volume 50, Issue 8, Aug. 2002 Page(s):1227 - 1231  
[AbstractPlus](#) | [References](#) | Full Text: [PDE](#)(266 KB) IEEE JNL
- ☐ 5. **Data hiding for bi-level documents using smoothing technique**  
Huijuan Yang; Kot, A.C.;  
Circuits and Systems, 2004. ISCAS '04. Proceedings of the 2004 International Symposium 23-26 May 2004 Page(s):V-692 - V-695 Vol.5  
[AbstractPlus](#) | Full Text: [PDE](#)(272 KB) IEEE CNF
- ☐ 6. **Design and implementation of a secret key steganographic micro-architecture on a reconfigurable logic device**  
Farouk, H.; Saeb, M.;  
Design, Automation and Test in Europe Conference and Exhibition, 2004. Proceedings Volume 3, 16-20 Feb. 2004 Page(s):212 - 217 Vol.3  
[AbstractPlus](#) | Full Text: [PDE](#)(406 KB) IEEE CNF



Indexed by  
**inspec**

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE -

**Web**Results 1 - 10 of about 28 for "**data hiding**" "**blank character**". (0.35 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

EP1117205

... **Data hiding** has received a considerable attention mainly because of the ...  
 extra **blank character** is inserted thus, obtaining a marked text document. ...

swpat.ffii.org/pikta/txt/ep/1117/205/ - 38k - [Cached](#) - [Similar pages](#)

[PPT] Savitch Java Ch. 1

File Format: Microsoft Powerpoint 7 - [View as HTML](#)

... Also known as **data hiding**. An analogy:. When you drive a car, ... **non-blank character** from the keyboard and discards any remaining characters on the ...

web.ics.purdue.edu/~cs180/ Fall2002Web/lecture\_notes/Ch01.ppt - Apr 12, 2005 - [Similar pages](#)

[PDF] Subject Index

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **blank character** 4.33. **BLANK** specifier. **BLOCK DATA** statement B.16 ... **data hiding**  
 3.1. **DATA** statement B.16,19. data member 2.9. data structure ...

www.owlnet.rice.edu/~mech517/Books/oop15.pdf - [Similar pages](#)

[PDF] Computer Basics

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Also known as **data hiding**. An analogy:. When you drive a car, you don't have  
 know the ... single, **non-blank character** from the keyboard and ...

bi.snu.ac.kr/Courses/prog02/CH01.PDF - [Similar pages](#)

/bin/sh # This is a shell archive. Remove anything before this ...

... mod.sources release X \* X \* Revision 1.3 87/04/09 00:03:58 paul X \* improved  
**data hiding**, ... X X /\* ch is now the first **non-blank character** of a line. ...

gatekeeper.dec.com/pub/misc/vixie/cron-2.2/part03 - 32k - [Cached](#) - [Similar pages](#)

EP1136903 Ibm european software patent - Method and system of ...

... adding one **blank character** if said inter-word intervals are comprised of an  
 odd number of said blank characters; removing one **blank character** if said ...

gauss.ffii.org/PatentView/EP1136903 - 47k - [Cached](#) - [Similar pages](#)

EP1117205 Ibm european software patent - Method and system of ...

... inserting into each position [151] of said unique combination of positions at  
 least one extra **blank character** thus, obtaining a marked text document ...

gauss.ffii.org/PatentView/EP1117205 - 51k - [Cached](#) - [Similar pages](#)

[PDF] Module Handbook

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **Data hiding** and abstract data types. Makes programming more manageable ...  
 If we don't test for the end of line, it is read as a single **blank character**. ...

cms.brookes.ac.uk/modules/other/43\_Handbook2004.pdf - [Similar pages](#)

[PDF] An Introduction to C++

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The twin concept of data types and procedures that manipulated the **data**.

Hiding the inter- ... of text and hence not stop at the first **blank character**? ...

[www.kcl.ac.uk/kis/support/cc/fortran/cpp/cpp.pdf](http://www.kcl.ac.uk/kis/support/cc/fortran/cpp/cpp.pdf) - [Similar pages](#)

[PS] [NWCHEM Programmer's Guide, Release 4.5 High Performance ...](#)

File Format: Adobe PostScript - [View as Text](#)

... to the guide- lines for encapsulation and **data hiding** outlined in Section 9.2.

... This routine returns the index of the last non-**blank character** in z. ...

[vipser.bij.a-star.edu.sg/nwchem-docs/prog/prog.001.ps.Z](http://vipser.bij.a-star.edu.sg/nwchem-docs/prog/prog.001.ps.Z) - [Similar pages](#)

Google 

Result Page: 1 2 [Next](#)

Free! Google Desktop Search: Search your own computer. [Download now.](#)


Find:  emails -  files -  chats -  web history -  media -  PDF

[Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



## Web

Results 11 - 19 of about 28 for "data hiding" "blank character". (0.09 seconds)

### Istilah Teknologi Informasi Bahasa Indonesia Pemrakarsa: Pusat ...

... blank after: setelah/belakangan kosong **blank character**: karakter kosong blank  
 ... havens: persinggahan data: **data hiding** :: data hierarchy: hierarki data: ...  
[ikc.vism.org/bukuputih/istilah-ti-indonesia.txt](http://ikc.vism.org/bukuputih/istilah-ti-indonesia.txt) - 513k - [Cached](#) - [Similar pages](#)

### yes, virginia, this => a syntax error. 1 => just a value. it could ...

... this => not a **blank character** "" => acceptable "" means the string ... i can  
 think of => **data hiding** biggest pain => disk space - abend can't keep more ...  
[www.infobot.org/snapshots/purl/archive/snapshot980610/purl-is.txt](http://www.infobot.org/snapshots/purl/archive/snapshot980610/purl-is.txt) - 513k - [Cached](#) - [Similar pages](#)

### Geocrawler.com - freecard-general - [FC-general] My impro-list

... But I think we could really use some real support for **data hiding**, eg by allowing ...  
 characters and words, as there is no such >thing as a **blank character** or word ...  
[www.geocrawler.com/mail/msg.php3?msg\\_id=4174565](http://www.geocrawler.com/mail/msg.php3?msg_id=4174565) - 18k - Supplemental Result - [Cached](#) - [Similar pages](#)

### Geocrawler.com - freecard-general - [FC-general] My impro-list

... with this; try Bob\_SetName(idx, name) This is a principal known as ``**data hiding**``  
 You want it ... and words, as there is no such thing as a **blank character** or word ...  
[www.geocrawler.com/mail/msg.php3?msg\\_id=4121576](http://www.geocrawler.com/mail/msg.php3?msg_id=4121576) - 18k - Supplemental Result -  
[Cached](#) - [Similar pages](#)  
[\[ More results from www.geocrawler.com \]](#)

### [PDF] Introduction to Java (2) Lezione 7 Informatica Generale

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... Also known as **data hiding** An analogy: ... keyboard - readLineNonwhiteChar() is a method  
 that reads a single, non-**blank character** from the keyboard and ...  
[webcen.usr.dsi.unimi.it/2002-03/digitale/infogenerale\\_agostini/lucidi/Lez07.pdf](http://webcen.usr.dsi.unimi.it/2002-03/digitale/infogenerale_agostini/lucidi/Lez07.pdf) - Supplemental Result -  
[Similar pages](#)

### [PPT] Chapter 1

File Format: Microsoft Powerpoint 97 - [View as HTML](#)  
 ... Also known as **data hiding**. ... readLineNonwhiteChar() is a method that reads a single,  
 non-**blank character** from the keyboard and discards any remaining characters ...  
[captain.park.edu/royklein/CS151/CH01.PPT](http://captain.park.edu/royklein/CS151/CH01.PPT) - Supplemental Result - [Similar pages](#)

### [PDF] Chapter 6 ASSEMBLER SIGNIFICANT CHARACTERS AND DIRECTIVES

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 Page 1. MOTOROLA DSP ASSEMBLER REFERENCE MANUAL 71 Chapter 6 ASSEMBLER  
 SIGNIFICANT CHARACTERS AND DIRECTIVES 6.1 INTRODUCTION This ...  
[tilab.bocholt.fh-ge.de/praktikum/DSV/DEV\\_TOOL/ASM/ASM\\_UM/AS\\_PRINT/6.PDF](http://tilab.bocholt.fh-ge.de/praktikum/DSV/DEV_TOOL/ASM/ASM_UM/AS_PRINT/6.PDF) - Supplemental Result -  
[Similar pages](#)

### [PDF] PDF995, Job 3

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... without knowing the details of how it works. ð Also known as **data hiding**  
 An analogy: ð When you drive a car, you don't have know the ...  
[gram.eng.uci.edu/~mmoshfeg/40/Ch01-class.pdf](http://gram.eng.uci.edu/~mmoshfeg/40/Ch01-class.pdf) - Supplemental Result - [Similar pages](#)

### [PS] Copyright 1995 Intel Scalable Systems Division. See page ii for ...

File Format: Adobe PostScript - [View as Text](#)

... Modules allow data and functions to be packaged and defined as a unit, incorporating **data hiding** and using a scope that is determined with the USE statement. ...

[www.parallab.uib.no/resources/paragon/basic/manuals/phpfirm.ps](http://www.parallab.uib.no/resources/paragon/basic/manuals/phpfirm.ps) - Supplemental Result - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 19 already displayed.*

*If you like, you can repeat the search with the omitted results included.*




Result Page: [Previous](#) [1](#) [2](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

**Web**Results 1 - 3 of 3 for "**techniques for data hiding**" "**blank character**". (0.18 seconds)

Tip: Try removing quotes from your search to get more results.

EP1117205

... review of data hiding techniques is in '**Techniques for data hiding**' by W. Bender ... **blank character** is inserted thus, obtaining a marked text document. ...  
swpat.ffii.org/pikta/txt/ep/1117/205/ - 38k - [Cached](#) - [Similar pages](#)

EP1136903 Ibm european software patent - Method and system of ...

... data hiding techniques is in '**Techniques for data hiding**' by W. Bender and ...  
... adding one **blank character** if said inter-word intervals are comprised of ...  
gauss.ffii.org/PatentView/EP1136903 - 47k - [Cached](#) - [Similar pages](#)

EP1117205 Ibm european software patent - Method and system of ...

... data hiding techniques is in '**Techniques for data hiding**' by W. Bender and ...  
... unique combination of positions at least one extra **blank character** thus, ...  
gauss.ffii.org/PatentView/EP1117205 - 51k - [Cached](#) - [Similar pages](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google